


NOTE: ALL DISCHARGE FROM DEWATERING THE WORK AREA SHALL BE PUMPED TO EITHER A TEMPORARY SEDIMENT TRAP OR DEWATERING SILT BAG PER DETAILS

PLAN



SECTION A-A

NOTES:

1. COFFER DAM WILL BE BUILT SO THAT APPROXIMATELY ONE-HALF (1/2) OF THE STREAM CHANNEL IS OPEN AT ALL TIMES.
2. MATERIAL FROM THE STREAM BED SHALL NOT BE USED FOR COFFER DAM.
3. NO EARTHEN MATERIAL SHALL BE USED FOR COFFER DAM OR PLACED IN STREAM FOR ANY REASON.
4. STREAM BED SHALL BE DISTURBED THE MINIMUM REQUIRED FOR CONSTRUCTION OF PIPE LINE AND WILL BE RESTORED TO ORIGINAL CONTOURS WHEN WORK IS COMPLETE.
5. ALTERNATIVE COFFER DAM MATERIAL IS ACCEPTABLE BUT SHALL BE APPROVED BY THE ENGINEER.

DATE: 01/12/2019 SS-D DWG. NO. 22

SCALE: NOT TO SCALE

City of Hendersonville Engineering Department
 305 Williams Street
 Hendersonville, NC 28792
 (828) 697-3000 (office)
www.cityofhendersonville.org

LARGE CREEK CROSSING

